

以人为先 诚信为本 专业制造 追求卓越
Honesty Professional Excellence



►► 过渡接头
►► 软管接头

浙江海格威液压科技有限公司 Zhejiang HGW Hydraulics Technology Co.,Ltd.

地址：中国·浙江·宁波市宁海县南部滨海新区创新路9号
ADD: No. 9 Innovation East Road, South Binhai New Area, Ninghai,
Ningbo City, Zhejiang Province, 315033, P.R. China
电话(Tel): 86-0574-88166668 传真(Fax): 86-0574-88166669
邮箱(E-mail): info@haigewei.com 网址: http://www.haigewei.com
服务热线(Hotline): 400 9998 475

上海海格威液压技术有限公司 Shanghai HGW Hydraulics Technology Co.,Ltd.

地址：中国·上海市奉贤区善乐路313号 (光善路口)
ADD: No.313, Shanle Road, Fengxian District, Shanghai, 201405, P.R.China
电话(Tel): 86-021-34030001 传真(Fax): 86-021-54320056
邮箱(E-mail): info@haigewei.com 网址: http://www.haigewei.com
服务热线(Hotline): 400 9998 475

山东海格威液压科技有限公司 ShanDong HGW Hydraulics Technology Co.,Ltd.

地址：中国·山东省临沂市经济技术开发区芝麻墩街道临工路118号
ADD: No. 118 Lingong Road, Zhimadun Street, Linyi Economic and
technological development zone, Shandong province, China
邮箱(E-mail): info@haigewei.com 网址: http://www.haigewei.com
服务热线(Hotline): 400 9998 475

扬州海格威液压科技有限公司 YangZhou HGW Hydraulics Technology Co.,Ltd.

地址：中国·扬州市广陵区意马路8号
ADD: No. 8 Italy Road, Guangling District, Yangzhou
邮箱(E-mail): info@haigewei.com 网址: http://www.haigewei.com
服务热线(Hotline): 400 9998 475



【2022版】

HGW FLUID CONVEYANCE

ENTERPRISE INTRODUCTION

企业简介

海格威始创于1996年，历经二十余年，现已发展成为以浙江海格威液压科技有限公司为总部，同时拥有上海、嘉兴、扬州、临沂四家子公司的集团化企业。总部宁海工厂占地80余亩，总投入3亿余元，员工数量300人。

海格威以自主创新为源动力，建立了独具优势的制造体系，拥有锻造车间、镀锌线、智能立体仓库和千余台国际先进的机加工装备，具备接头全工序自主生产能力。已成为国家高新技术企业、液压行业国家标准参与单位、拥有“市四星级企业”“215工业企业”“市级数字化工厂”“县工程中心”等荣誉。参与了“凤凰计划”“放水养鱼”等项目，目前已进入“专精特新培育库”。

公司从初期经营液压气动配件、各类低压电器、橡塑制品等产品，发展至今到自主研发及生产流体连接件，致力于液压行业的技术创新。主要产品有过渡接头、胶管接头、油管和钢管总成、液压附件等。广泛应用于工程机械、地下建机、矿产、码头、军工、造船、农机和冶金等诸多领域，并与世界500强品牌建立长久稳固的合作关系。

海格威秉承“诚信经营，匠心智造”的生产理念，坚持“质量第一，快速反应”的经营方针。紧随中国工程机械和流体连接件领域的前进步伐，稳健成长，持续发展，立志成为流体连接件行业的领军者，大力打造行业品牌，迅速推进全球化。

Founded in 1996, HGW has developed into a group enterprise with Zhejiang HGW Hydraulics Technology Co., Ltd. as its headquarters and four subsidiaries in Shanghai, Haiyan, Yangzhou and Linyi. Headquarters Ninghai factory covers an area of more than 53333 square meters (80 mu), a total investment of more than 300 million yuan, the number of employees 300.

With independent innovation as the source of power, HGW has established a unique manufacturing system, with forging workshop, galvanizing line, intelligent three-dimensional warehouse and more than 1,000 sets of international advanced machining equipment, with the independent production capacity of the whole joint process. Has become a national high-tech enterprise, hydraulic industry national standard participating units, has "city four-star enterprise", "215 industrial enterprise", "municipal digital factory", "tool engineering center" and other honors. He has participated in such projects as "Phoenix Plan" and "Releasing water to raise fish". At present, he has entered the "Specialized and special new breeding Base".

From the initial operation of hydraulic pneumatic accessories, various low-voltage electrical appliances, rubber and plastic products, the company has developed to independent research and development and production of fluid connectors, committed to technical innovation in the hydraulic industry. The main products are transition joints, hose joints, tubing and steel pipe assembly, hydraulic accessories and so on. It is widely used in construction machinery, underground construction machinery, mining, wharf, military industry, shipbuilding, agricultural machinery and gold management and many other fields, and has established a long-term and stable cooperative relationship with the world's top 500 brands.

HGW adheres to the production philosophy of "integrity management, ingenuity manufacture" and the management policy of "quality first, quick response". Following the progress of China's construction machinery and fluid connector field, steady growth, sustainable development, determined to become the leader of the fluid connector industry, vigorously build industry brand, rapidly promote globalization.



DEVELOPMENT HISTORY

发展历程



2002年7月

2002年7月，上海海格威高压油管制造有限公司正式成立。



2009年9月

2009年9月，宁波海格流体连接件有限公司正式成立。



2017年05月

2017年5月，浙江海格威液压科技有限公司正式成立。



2020年7月

2020年7月，浙江朗成智能科技有限公司正式成立。



2021年1月

2021年1月，扬州海格威液压科技有限公司正式成立。



2022年6月

2022年6月，山东海格威液压科技有限公司正式成立。

ENTERPRISE CAPACITY

企业实力

公司占地80余亩，目前拥有生产厂房40000多平米，各类锻造、车削、弯管、钻孔等设备600余台。

公司自成立之日起即推行智能化生产，信息化管理的“智造”理念。配备智能化生产设备。试行“物联网”概念，提升客户采购体验，实现远程下单，远程跟踪可能。

工厂可实现熄灯作业和无人作业的高智能化生产模式。

Ninghai factory own 80 acres of land and forty thousand square meters for production. We have about 600 equipments including swage, lathe, pipe bender and drilling machine.

Intelligent production and information management are our "Smart" idea. We have intelligent production equipment. Experimenting the concept of internet of things to improve customer's experience of purchasing, and to make remote order and remote tracking possible.

Our company achieved a high-intelligence production mode that we can work without lights or even without man.




We have passed ISO 9001-2016 audit. We have sclerometer, overhead projector, metroscope, CMM, contourgraph, spectrograph, compression testing machine and salt spraying tester. The quality is guaranteed.

>>>



公司已通过ISO9001-2016审核。计量室配备硬度计，投影仪，测长仪，三坐标，轮廓仪及光谱仪，压力测试机和盐雾试验机检测设备等检测设备，使产品品质得以有效的保证。



ENTERPRISE PRODUCTS

企业产品

过渡接头系列



软管总成系列



ENTERPRISE PRODUCTS

企业产品



DIRECTORY

目录

09 一体式软管接头

09 公制24° 锥系列、英管螺纹60° 锥面密封、类制JIC螺纹70°密封、SAE法兰系列

10 套筒

10-15 软管接头









10 公制平面密封、球面密封软管接头
10 公制74° 锥密封软管接头
11 公制螺纹24° 锥密封轻/重系列软管接头
11 卡套式直管软管接头
11 英锥管外螺纹密封、英管螺纹球面密封系列软管接头
11-12 英管螺纹60° 锥密封、60° 外锥面双六角系列软管接头
12 美制JIC螺纹74°锥面、74° 锥面双六角系列软管接头
12 美制布锥管外螺纹、SAE螺纹90° 内锥面、ORFS螺纹平面密封系列软管接头
12-13 SAE法兰轻/重系列软管接头
13 日式英制螺纹60° 锥密封软管接头
13 高压水管接头、SAE标准矿用接头、双面连接芯软管接头
13-14 铰接软管接头
14 英制螺纹剥内胶系列软管接头
14 美制ORFS平面、JIC螺纹74° 密封剥内胶系列软管接头
14 公制螺纹24° 锥密封重系列剥内胶软管接头
14-15 SAE法兰剥内胶系列软管接头
15 插入芯软管接头

15-25 过渡接头





15 公制螺纹O形圈平面密封接头
16-17 公制螺纹卡套接头
17-18 公制螺纹74° 锥密封接头
18-20 英管螺纹60° 锥密封接头
20 英锥管螺纹BSPT接头
21 美制锥管螺纹NPT接头
21-23 美制螺纹74° 锥面扩口接头
23-24 美制螺纹O形圈平面密封ORFS接头
24 6162法兰接头
25 SAE矿用快换接头
25 其他接头

26 快速接头





公制24° 锥系列

 10411Y 公制外螺纹24° 内锥面轻系列 METRIC MALE 24° CONE SEAT L.T.DIN 3853	 20411Y-T 公制内螺纹24° 内锥带O形圈轻系列 METRIC FEMALE 24° CONE O-RING L.T.DIN 3865	 20441Y-T 45°公制内螺纹24° 锥带O形圈轻系列 45° METRIC FEMALE 24° CONE O-RING L.T.DIN 3865	 20491Y-T 90°公制内螺纹24° 锥带O形圈轻系列 90° METRIC FEMALE 24 CONE O-RING L.T. ISO 12151-2—DIN 3865
 10511Y 公制外螺纹24° 内锥面重系列 METRIC MALE 24° CONE SEAT H.T.DIN 3853	 20511Y-T 公制内螺纹24° 锥带O形圈重系列 METRIC FEMALE 24° CONE O-RING H.T.DIN 3865	 20541Y-T 45°公制内螺纹24° 锥带O形圈重系列 45° METRIC FEMALE 24° CONE O-RING H.T.DIN 3865	 20591Y-T 90°公制内螺纹24° 锥带O形圈重系列 90° METRIC FEMALE 24° CONE O-RING H.T.DIN 3865







英管螺纹60° 锥面密封

 12611Y 英管外螺纹60° 内锥面 BSP MALE 60° CONE SEAT	 22611Y 英管内螺纹60° 外锥面 BSP FEMALE 60° CONE	 22641Y 45° 英管内螺纹60° 外锥面 45° BSP FEMALE 60° CONE	 22691Y 90° 英管内螺纹60° 外锥面 90° BSP FEMALE 60° CONE
--	---	--	---

美制JIC螺纹74° 密封











 16711Y 美制JIC外螺纹74° 外锥面 JIC MALE 74° CONE	 26711Y 美制JIC内螺纹74° 内锥面 JIC FEMALE 74° CONE SEAT	 26741Y 45°美制JIC内螺纹74° 内锥面 45° JIC FEMALE 74° CONE SEAT	 26791Y 90°美制JIC内螺纹74° 内锥面 90° JIC FEMALE 74° CONE SEAT
--	---	---	--

SAE法兰系列









 87311Y SAE 法兰 3000 PSI SAE FLANGE 3000 PSI	 87341Y 45°SAE 法兰 3000 PSI 45°SAE FLANGE 3000 PSI	 87391Y 90°SAE 法兰 3000 PSI 90°SAE FLANGE 3000 PSI	 87611Y SAE 法兰 6000 PSI SAE FLANGE 6000 PSI
 87691Y 90°SAE 法兰 6000 PSI 90°SAE FLANGE 6000 PSI	 87641Y 45°SAE 法兰 6000 PSI 45°SAE FLANGE 6000 PSI		

• 接头可选材料有：碳钢、不锈钢304/316、铜 •





套筒

 00110-A SAE100R1AT/EN 853 1SN 软管套筒 FERRULE FOR SAE100R1 AT/EN 853 1SN HOSE	 00110 SAE100R1AT/EN 853 1SN 软管套筒 FERRULE FOR SAE100R1 AT/EN 853 1SN HOSE	 00200 SAE100R2AT/EN 853 2SN 软管套筒 FERRULE FOR SAE100R2 AT/EN 853 2SN HOSE	 00210 SAE100R2AT/DIN20022 2SN 软管套筒 FERRULE FOR SAE100R2 AT/DIN20022 2SN HOSE
 03310 SAE100R2AT/EN 853 2SN 软管套筒 FERRULE FOR SAE100R2 AT/EN 853 2SN HOSE	 00400 4SP, 4SH/12-16, R12/06-16 软管套筒 FERRULE FOR 4SP, 4SH/10-16, R12/06-16 HOSE	 00621 GB/T 10544 R13/SAE 100R13/EN856 R13 软管刺内外胶套筒 INTERLOCK FERRULE FOR GB/T 10544 R13/SAE 100R13/EN856 R13 HOSE	 00401 4SH, R12/32 软管套筒 FERRULE FOR 4SH, R12/32 HOSE
 01400 R12/20-24 软管套筒 FERRULE FOR R12/20-24 HOSE	 00018 SAE 100 R7 软管套筒 FERRULE FOR SAE 100 R7 HOSE	 00TF0 铁氟龙套筒 FERRULE FOR TEFLON HOSE	

公制平面密封、球面密封软管接头









 10311 公制外螺纹平面O形圈密封 O-RING METRIC MALE FLAT SEAL 参考REF.JB/T 988	 20211-T 公制内螺纹平面 METRIC FEMALE FLAT SEAT 参考REF.GB/T 9065.3	 20231-T 30°公制内螺纹平面 30°METRIC FEMALE FLAT SEAT 参考REF.GB/T 9065.3	 20241-T 45°公制内螺纹平面 45°METRIC FEMALE FLAT SEAT 参考REF.GB/T 9065.3
 20291-T 90°公制内螺纹平面 90°METRIC FEMALE FLAT SEAT 参考REF.GB/T 9065.3	 20111-T 公制内螺纹球面 METRIC FEMALE MULTISEAL	 20141-T 45°公制内螺纹球面 45°METRIC FEMALE MULTISEAL	 20191-T 90°公制内螺纹球面 90°METRIC FEMALE MULTISEAL

公制74° 锥密封软管接头




 10711 国标公制外螺纹74° 外锥面 GB METRIC MALE 74° CONE	 20711 国标公制内螺纹74° 内锥面 GB METRIC FEMALE 74° CONE SEAT	 20741 45°国标公制内螺纹74° 内锥面 45°GB METRIC FEMALE 74° CONE SEAT	 20791 90°国标公制内螺纹74° 内锥面 90°GB METRIC FEMALE 74° CONE SEAT
--	---	---	---

• 接头可选材料有：碳钢、不锈钢304/316、铜 •








公制螺纹24° 锥密封轻/重系列软管接头

 10411 公制外螺纹24°内锥面轻系列 METRIC MALE 24° CONE SEAT L.T.DIN 3853.T.ISO 8434-1—DIN 3881	 20411-T 公制内螺纹24°锥带O形圈轻系列 METRIC FEMALE 24° CONE O-RING L.T.DIN 3865	 20441-T 45°公制内螺纹24°锥带O形圈轻系列 45°METRIC FEMALE 24° CONE O-RING L.T.DIN 3865	 20491-T 90°公制内螺纹24°锥带O形圈轻系列 90°METRIC FEMALE 24° CONE O-RING L.T.ISO 12151-2—DIN 3865
 10511 公制外螺纹24°内锥面重系列 METRIC MALE 24° CONE SEAT H.T.DIN 3853	 20511-T 公制内螺纹24°锥带O形圈重系列 METRIC FEMALE 24° CONE O-RING H.T.DIN 3865	 20541-T 45°公制内螺纹24°锥带O形圈重系列 45°METRIC FEMALE 24° CONE O-RING H.T.DIN 3865	 20591-T 90°公制内螺纹24°锥带O形圈重系列 90°METRIC FEMALE 24° CONE O-RING H.T.DIN 3865





卡套式直管软管接头





 50011 卡套式直管 METRIC STANDPIPE STRAIGHT DIN 2353	 50041 45°公制DIN 2353卡套式直管 45°METRIC STANDPIPE STRAIGHT DIN 2353	 50091 90°公制DIN 2353卡套式直管 90°METRIC STANDPIPE STRAIGHT DIN 2353
--	--	---

英锥管外螺纹密封、英管螺纹球面密封系列软管接头








 13011-SP 英锥管外螺纹 BSPT MALE	 22111-T 英管内螺纹球面 BSPP FEMALE MULTISEAL	 22141-T 45°英管内螺纹球面 45°BSPP FEMALE MULTISEAL	 22191-T 90°英管内螺纹球面 90°BSPP FEMALE MULTISEAL
 22211 英管内螺纹平面 BSP FEMALE FLAT SEAT	 22241 45°英管内螺纹平面 45°BSPP FEMALE FLAT SEAT	 22291 90°英管内螺纹平面 90°BSPP FEMALE FLAT SEAT	

英管螺纹60° 锥密封、60° 外锥面双六角系列软管接头








 12611 英管外螺纹60°内锥面 BSPP MALE60° CONE SEAT	 12611A 英管外螺纹60°内锥面或六角端面用 组合垫密封的双用接头 BSPP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL	 22611-T 英管内螺纹60°外锥面 BSPP FEMALE60° CONE	 22641-T 45°英管内螺纹60°外锥面 45°BSPP FEMALE60° CONE
--	---	--	---

 22691-T 90°英管内螺纹60°外锥面 90°BSPP FEMALE60° CONE	 22611-D 英管内螺纹60°外锥面双六角 BSPP FEMALE60° CONE DOUBLE HEXAGON	 22611D-SM 英管内螺纹60°外锥面双六角 BSPP FEMALE60° CONE DOUBLE HEXAGON	 22691K 90°英管短身内螺纹60°外锥面 90°BSP COMPACT FEMALE60° CONE
---	---	---	---





美制JIC螺纹74° 锥面、74° 锥面双六角系列软管接头


 16711 美制JIC内螺纹74°外锥面 JIC MALE74° CONE	 26711-T 美制JIC内螺纹74°内锥面 JIC FEMALE74° CONE SEAT SAE J514	 26741 45°美制JIC内螺纹74°内锥面 45°JIC FEMALE74° CONE SEAT SAE J514	 26791 90°美制JIC内螺纹74°内锥面 90°JIC FEMALE74° CONE SEAT SAE J514
 26711D 美制JIC内螺纹74°内锥面双六角 JIC FEMALE74° CONE SEAT DOUBLE HEXAGON SAE J514	 26711D-SM 美制JIC内螺纹74°内锥面双六角 JIC FEMALE74° CONE SEAT DOUBLE HEXAGON SAE J514	 26791K 90°美制短身JIC内螺纹74°内锥面 90°JIC COMPACT FEMALE74° CONE SEAT	

美制布锥管外螺纹、SAE螺纹90° 内锥面、ORFS螺纹平面密封系列软管接头


 15611 布锥管外螺纹 NPT MALE	 27811 美制SAE内螺纹90°内锥面 SAE FEMALE90° CONE SEAT SAE J513	 27891 90°美制SAE内螺纹90°内锥面 90°SAE FEMALE90° CONE SEAT SAE J513	 14211 美制ORFS外螺纹平面O形圈密封 ORFS MALE O-RING SEAL ISO 8434-3—SAE J1453
 24211-T 美制ORFS内螺纹平面 ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516	 24241-T 45°美制ORFS内螺纹平面 45°ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516	 24291-T 90°美制ORFS内螺纹平面 90°ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516	

SAE法兰轻/重系列软管接头


 87311 SAE 法兰 3000 PSI SAE FLANGE 3000 PSI ISO 12151-3-SAE J516	 87341 45°SAE 法兰 3000 PSI 45°SAE FLANGE 3000 PSI ISO 12151-3-SAE J516	 87391 90°SAE 法兰 3000 PSI 90°SAE FLANGE 3000 PSI ISO 12151-3-SAE J516	 87611 SAE 法兰 6000 PSI SAE FLANGE 6000 PSI ISO 12151-3-SAE J516
--	--	--	--




日式英制螺纹60° 锥密封软管接头




高压水管接头、SAE标准矿用接头、双面连接芯软管接头




铰接软管接头




英制螺纹剥内胶系列软管接头




美制ORFS平面、JIC螺纹74° 密封剥内胶系列软管接头




公制螺纹24° 锥密封重系列剥内胶软管接头




SAE法兰剥内胶系列软管接头






插入芯软管接头























过渡接头

公制螺纹O形圈平面密封接头














公制螺纹卡套接头















 1CO, 1DO 美制螺纹O形圈密封柱端ISO 11926 UN. UNF THREAD STUD ENDS WITH O-RING SEALING ISO 11926	 1CO9, 1DO9 90°弯美制螺纹可调向O形圈密封柱端ISO 11926 90°ELBOW UN. UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING ISO 11926	 ACCO-OG, ADDO-OG 美制螺纹可调向O形圈密封柱端分支三通 UN. UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING RUN TEE	 ACOC-OG, ADOD-OG 美制螺纹可调向O形圈密封柱端分支三通 UN. UNF THREAD ADJUSTABLE STUD ENDS WITH O-RING SEALING BRANCH TEE
 1CB, 1DB 英管螺纹60°锥密封或组合垫密封两用柱端 BSPP THREAD 60° CONE SEALING OR BONDED SEAL STUD ENDS	 1CB-WD, 1DB-WD 英管螺纹胶垫密封柱端 BSPP THREAD WITH CAPTIVE SEAL	 2BC-WD, 2BD-WD 英管螺纹胶垫密封柱端 公制内螺纹24°锥O形圈密封 BSPP THREAD WITH CAPTIVE SEAL METRIC FEMALE 24° CONE O-RING SEALING	 2WC, 2WD 焊接接头 WELD FITTINGS
 1CM, 1DM 公制螺纹60°锥密封或组合垫密封两用柱端 METRIC THREAD 60° CONE SEALING OR BONDED SEAL STUD ENDS	 1CM-WD, 1DM-WD 公制螺纹胶垫密封柱端 METRIC THREAD WITH CAPTIVE SEAL	 2MC-WD, 2MD-WD 公制螺纹胶垫密封柱端公制内螺纹24°锥O形圈密封 METRIC THREAD WITH CAPTIVE SEAL/ METRIC FEMALE 24° CONE O-RING SEALING	 1CW, 1DW 焊接接头 WELD FITTINGS
 1C-Y, 1D-Y 圆柱过板接头 CYLINDER STRAIGHT BULKHEAD	 5CB, 5DB 英管内螺纹 BSPP FEMALE	 5CB-G, 5DB-G 铜垫密封英管压力表接头 BSP PRESSURE GAUGE CONNECTOR WITH COPPER SEALING RING	 7BC-GS, 7BD-GS 铜垫密封英管压力表接头 BSP PRESSURE GAUGE CONNECTOR WITH COPPER SEALING RING
 5CM, 5DM 公制内螺纹 METRIC FEMALE	 NL, NS 卡套螺母 RETAINING NUTS	 RL, RS 卡套 CUTTING RING	

公制螺纹74° 锥密封接头





























 1Q 公制外螺纹74°外锥 METRIC MALE 74° CONE	 AQ 公制外螺纹74°外锥三通 METRIC MALE 74° CONE TEE	 2Q9 公制外螺纹74°外锥/公制内螺纹74°内锥 METRIC MALE 74° CONE METRIC FEMALE 74° SEAT	 4Q 公制外螺纹74°外锥堵头 METRIC MALE 74° CONE PLUG
--	--	---	---
















 6Q 公制外螺纹74°外锥过板接头 METRIC MALE 74° CONE BULKHEAD	 1QN 公制外螺纹74°外锥/布锥管外螺纹 METRIC MALE 74° CONE/NPT MALE	 1QN9 90°弯公制外螺纹74°外锥/布锥管外螺纹 90°ELBOW METRIC MALE 74° CONE/NPT MALE	 1QT-SP 公制外螺纹74°外锥/英锥管外螺纹 METRIC MALE 74° CONE/BSPT MALE
 1QT9-SP 90°弯公制外螺纹74°外锥/英锥管外螺纹 90°ELBOW METRIC MALE 74° CONE/BSPT MALE	 NB200-Q 公制74°锥扩口式管接头螺母GB/T 5647 METRIC 74° CONE FLARED NUT GB/T 5647	 NB500-Q 公制74°锥扩口式管接头衬套GB/T 5646 METRIC 74° CONE FLARED SLEEVE GB/T 5646	

日式英管螺纹60° 锥密封接头










 1K 日本公制60°外锥 JIS METRIC MALE 60° CONE	 1KH 日本公制60°外锥/ 公制外螺纹可调向柱端重系列ISO6149-2 JIS METRIC MALE 60° CONE/METRIC ADJUSTABLE STUD END S-SERIES ISO6149-2	 1KH9-OG 90°弯日本公制60°外锥/ 公制外螺纹可调向柱端重系列ISO6149-2 90°ELBOW JIS METRIC MALE 60° CONE/METRIC ADJUSTABLE STUD END S-SERIES ISO6149-2	 1KT-SP 公制外螺纹60°外锥/英锥管外螺纹 METRIC MALE 60° CONE/BSOT MALE
 1KG 日本公制外螺纹60°外锥/英管外螺纹O形圈 JIS METRIC MALE 60° CONE/BSP MALE-RING	 1KG9-OG 90°弯日本公制外螺纹/英管外螺纹O形圈可调向柱端 90°ELBOW JIS METRIC MALE/BSP MALE-RING ADJUSTABLE END	 1S 日本英管外螺纹60°外锥 JIS GAS MALE 60° CONE	 4S 日本英管外螺纹60°外锥堵头 JIS GAS MALE 60° CONE
 6S 日本英管外螺纹60°外锥过板接头 JIS GAS MALE 60° CONE BULKHEAD	 1SG 日本英管外螺纹60°外锥/英管外螺纹O形圈 JIS GAS MALE 60° CONE / BSPP MALE O-RING	 1SG9-OG 90°弯日本英管外螺纹60°外锥/ 英管外螺纹O形圈可调向柱端 90°ELBOW JIS GAS MALE 60° CONE / BSPP MALE O-RING ADJUSTABLE STUD END	 1ST-SP 日本英管外螺纹60°外锥/英管外螺纹 JIS GAS MALE 60° CONE / BSPP MALE
 1ST9-SP 90°弯日本英管外螺纹60°外锥/英管外螺纹 90°ELBOW JIS GAS MALE 60° CONE / BSPP MALE			

英管螺纹60° 锥密封接头















 1B 英管外螺纹60°内锥或六角端面用组合垫密封/ BSP MALE DOUBLE USE FOR 60° SEAT OR BONDED SEAL	 1B9 90°弯英管外螺纹60°内锥 90°ELBOW BSP MALE 60° SEAT	 2B 英管外螺纹60°内锥或六角端面用组合垫密封/ 英管内螺纹60°内锥 BSP MALE DOUBLE USE FOR 60° SEAT OR BONDED SEAL	 2B9 90°弯英管外螺纹60°内锥/英管内螺纹60°外锥 90°ELBOW BSP MALE 60° SEAT/ BSP FEMALE 60° CONE
 3B 英管内螺纹60°外锥 BSP FEMALE 60° CONE	 3B9 90°英管内螺纹60°外锥 90° BSP FEMALE 60° CONE	 4B 英管外螺纹60°内锥或 六角端面用组合垫密封堵头	 6B 英管外螺纹60°内锥过板接头 BSP MALE 60° SEAT BULK-HEAD
 9B 英管内螺纹60°外锥堵头 BSP FEMALE 60° CONE PLUG	 AB 英管外螺纹60°内锥三通 BSP MALE 60° SEAT TEE	 BB 英管外螺纹60°内锥/英管内螺纹60°外锥三通 BSP MALE 60° SEAT / BSP FEMALE 60° CONE BRANCH TEE	 CB 英管外螺纹60°内锥/英管内螺纹60°外锥三通 BSP MALE 60° SEAT / BSP FEMALE 60° CONE RUN TEE
 DB 英管内螺纹60°外锥三通 BSP FEMALE 60° CONE TEE	 1BT-SP 弯英管外螺纹60°内锥/英管外螺纹 ELBOW BSP MALE 60° SEAT/BSPT MALE	 1BT4-SP 45°弯英管外螺纹60°内锥/英管外螺纹 45°ELBOW BSP MALE 60° SEAT/BSPT MALE	 1BT9-SP 90°弯英管外螺纹60°内锥/英管外螺纹 90°ELBOW BSP MALE 60° SEAT/BSPT MALE
 1BN 英管外螺纹60°内锥或六角端面用组合垫密封/ 美制布推管外螺纹 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/NPT MALE	 1BN9 90°弯英管外螺纹60°内锥美制布推管外螺纹 90°ELBOW BSP MALE DOUBLE USE FOR 60° NPT MALE	 1BG 英管外螺纹60°内锥或六角端面用组合垫密封/ 英管外螺纹O形圈 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/BSP MALE O-RING	 1BG9-OG 90°弯英管外螺纹60°内锥/ 英管外螺纹O形圈可调向柱端 90°ELBOW BSP MALE 60° SEAT/ BSP MALE O-RING ADJUSTABLE STUD END
 1BJ 英管外螺纹60°内锥或六角端面用组合垫密封/ 美制JIC外螺纹74°外锥 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/JIC MALE 74° CONE	 1BL 英管外螺纹60°内锥或六角端面用组合垫密封/ 公制外螺纹组合垫圈 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/METRIC MALE WITH BONDED SEAL	 1BM 英管外螺纹60°内锥或六角端面用组合垫密封/ 公制外螺纹60°内锥或六角端面用组合垫密封 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/METRIC MALE DOUBLE USE FOR 60° CONE SEAT ORBONDED SEAL	 1BW 英管外螺纹60°内锥或六角端面用组合垫密封/ 焊接管 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/BUTT-WELD TUBE
 2WB 焊接管/英管内螺纹60°外锥 BUTT-WELD TUBE/BSP FEMALE 60° CONE	 1B-WD 英管外螺纹60°内锥或六角端面用组合垫密封/ 英管外螺纹胶垫密封 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/BSP MALE CAPTIVE SEAL	 2BJ-WD 布推管外螺纹胶垫密封/美制JIC内螺纹74°内锥 BSP MALE CAPTIVE SEAL/JIC FEMALE 74° SEAT	 2NB 布推管外螺纹/英管内螺纹60°外锥 NPT MALE/BSP FEMALE 60° CONE

 2NB9 90°弯布推管外螺纹/英管内螺纹60°外锥 90°ELBOW NPT MALE/BSP FEMALE 60° CONE	 2TB-SP 英推管外螺纹/英管内螺纹60°外锥 BSPT MALE/BSP FEMALE 60° CONE	 2TB9-SP 90°弯英推管外螺纹/英管内螺纹60°外锥 90°ELBOW BSPT MALE/BSP FEMALE 60° CONE	 4BN-WD 英管外螺纹胶垫密封内六角堵头 BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG
 4B-WD 英管外螺纹胶垫密封堵头 BSP MALE CAPTIVE SEAL PLUG	 5B 英管外螺纹60°内锥或六角端面用组合垫密封 英管内螺纹ISO 1179 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/BSP FEMALE ISO 1179	 5B9 90°弯英管外螺纹60°内锥/英管内螺纹ISO 1179 90°ELBOW BSP MALE 60° SEAT/BSPT FEMALE ISO 1179	 7B 英管内螺纹ISO 1179 BSP FEMALE ISO 1179
 7TB-S 英推管内螺纹/英管内螺纹60°外锥 BSPT FEMALE/BSP FEMALE 60° CONE	 7B9-PK 90°英管内螺纹ISO 1179 90°BSP FEMALE ISO 1179	 GB-PK 英管内螺纹ISO 1179 三通 BSP FEMALE ISO 1179 TEE	 5BN 英管外螺纹60°内锥或六角端面用组合垫密封 美制布推管内螺纹 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/NPT FEMALE
 5B-WD 英管外螺纹胶垫密封/英管内螺纹ISO 1179 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/BSPT FEMALE	 5BT 英管外螺纹60°内锥或六角端面用组合垫密封 英推管内螺纹 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/BSPT FEMALE	 2B-G 英管螺纹60°内锥/英管内螺纹表接头 BSP MALE 60° SEAT/BSPT FEMALE PRESSURE GAUGE CONNECTORS	









英锥管螺纹BSPT接头





























 1T-SP 英锥管外螺纹 BSPT MALE	 1T9-SP 90°弯英锥管外螺纹 90°ELBOW BSPT MALE	 4T-SP 英锥管外螺纹堵头 BSPT MALE PLUG	 4TN 英锥管外螺纹内六角堵头 BSPT MALE HOLLOW HEX PLUG
 5T-SP 英锥管外螺纹/英推管内螺纹 BSPT MALE/BSPT FEMALE	 5T9-SP 90°弯英锥管外螺纹/英推管内螺纹 90°ELBOW BSPT MALE/BSPT FEMALE	 7T 英推管内螺纹 BSPT FEMALE	 7T9-PK 90°弯英推管内螺纹 90°ELBOW BSPT FEMALE
 GT-PK 英推管内螺纹三通 BSPT FEMALE TEE			




美制锥管螺纹NPT接头

 1N 美制布锥管外螺纹 NPT MALE	 1N9 90°弯布锥管外螺纹 90° ELBOW NPT MALE	 4N 美制布锥管外螺纹堵头 NPT MALE PLUG	 4NN 美制布锥管外螺纹内六角堵头 NPT MALE HOLLOW HEX PLUG
 5N 布锥管外螺纹/布锥管内螺纹 NPT MALE/NPT FEMALE	 5N9 90°布锥管外螺纹/布锥管内螺纹 90° ELBOW NPT MALE/NPT FEMALE	 JN 布锥管内螺纹/布锥管外螺纹三通 NPT FEMALE/NPT MALE BRANCH TEE	 HN 美制布锥管内螺纹/布锥管外螺纹主支三通 NPT FEMALE /NPT MALE RUN TEE
 7N 美制布锥管内螺纹 NPT FEMALE	 7N9-PK 90°弯美制布锥管内螺纹 90° ELBOW NPT FEMALE	 GN-PK 美制布锥管内螺纹三通 NPT FEMALE TEE	 1NO 美制布锥管外螺纹/美制SAE外螺纹带O形圈系列 ISO 11926-3 NPT MALE /SAE O-RING BOSS L-SERIES ISO 11926-3
 5NO 美制布锥管外螺纹/美制SAE内螺纹ISO 11926-3 NPT MALE /SAE FEMALE ISO 11926-3	 5ON 美制SAE外螺纹带O形圈轻系列 ISO 11926-3/美制布锥管内螺纹 SAE O-RING BOSS L-SERIES ISO 11926-3/NPT FEMALE	 5GN 英管外螺纹O形圈/美制布锥管内螺纹 BSP MALE O-RING/NPT FEMALE	
















美制螺纹74° 锥面扩口接头









 1J 美制JIC外螺纹74°外锥 JIC MALE 74° CONE	 1J9 90°弯美制JIC外螺纹74°外锥 90° ELBOW JIC MALE 74° CONE	 2J 美制JIC外螺纹74°外锥/JIC内螺纹74°内锥 JIC MALE 74° CONE/JIC FEMALE 74° SEAT	 2J9 90°弯美制JIC外螺纹74°外锥/JIC内螺纹74°内锥 90° ELBOW JIC MALE 74° CONE/ JIC FEMALE 74° SEAT
 5J-S 美制JIC外螺纹/美制JIC内螺纹 JIC MALE /JIC FEMALE	 AJ 美制JIC外螺纹74°外锥三通 JIC MALE 74° CONE TEE	 BJ 美制JIC外螺纹74°外锥/ 美制JIC内螺纹74°内锥分支三通 JIC MALE 74° CONE/ JIC FEMALE 74° BRANCH TEE	 CJ 美制JIC外螺纹74°外锥/ 美制JIC内螺纹74°内锥主支三通 JIC MALE 74° CONE/ JIC FEMALE 74° SEAT RUN TEE

 DJ 美制JIC内螺纹74°内锥三通 JIC FEMALE 74° SEAT TEE	 2WJ 焊接管/美制JIC内螺纹74°内锥 BUTT-WELD TUBE/JIC FEMALE 74° SEAT	 3J 美制JIC内螺纹74°内锥 JIC FEMALE 74° SEAT	 4J 美制JIC外螺纹74°外锥堵头 JIC MALE 74° CONE PLUG
 9J 美制JIC内螺纹74°内锥堵头 JIC FEMALE 74° SEAT PLUG	 9J-CAP JIC74°内螺纹堵头 JIC74° FEMALE PLUG	 6J 美制JIC外螺纹74°外锥过板接头 JIC MALE 74° CONE BULKHEAD	 6J9 90°弯美制JIC外螺纹74°外锥过板接头 90° ELBOW JIC MALE 74° CONE BULKHEAD
 1JN JIC外螺纹74°外锥/布锥管外螺纹 JIC MALE 74° CONE /NPT MALE	 1JN9 90°弯JIC外螺纹74°外锥/布锥管外螺纹 90° ELBOW JIC MALE 74° CONE /NPT MALE	 AJJN 美制JIC外螺纹74°外锥/布锥管外螺纹主支三通 JIC MALE 74° CONE /NPT MALE RUN TEE	 AJNJ 90°弯美制JIC外螺纹74°外锥/布锥管外螺纹分支三通 JIC MALE 74° CONE /NPT MALE BRANCH TEE
 2NJ 布锥管外螺纹/JIC内螺纹74°内锥 NPT MALE / JIC FEMALE 74° SEAT	 5JN 美制JIC外螺纹74°外锥/布锥管内螺纹 JIC MALE 74° CONE /NPT FEMALE	 5JN9 90°弯JIC外螺纹74°外锥/布锥管内螺纹 90° ELBOW JIC MALE 74° CONE /NPT FEMALE	 1JT-SP 美制JIC外螺纹74°外锥/英管外螺纹 JIC MALE 74° CONE /BSPT MALE
 1JT9-SP 90°弯美制JIC外螺纹74°外锥/英管外螺纹 90° ELBOW JIC MALE 74° CONE /BSPT MALE	 7NJ-S 布锥管内螺纹/JIC内螺纹74°内锥 NPT FEMALE /JIC FEMALE 74° SEAT	 2TJ-SP 英管外螺纹/美制JIC内螺纹74°内锥 BSPT MALE/JIC FEMALE 74° SEAT	 1JO 美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈轻系列ISO 11926-3 JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3
 1JO9-OG 90°弯美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈轻系列ISO 11926-3 90° ELBOW JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3	 AJJO-OG 美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈轻系列ISO 11926-3主支三通 JIC MALE 74° CONE /SAE O-RING BOSS L-SERIES ISO 11926-3 RUN TEE	 AJOJ-OG 美制JIC外螺纹74°外锥/ SAE外螺纹带O形圈轻系列ISO 11926-3分支三通 JIC MALE 74° CONE /SAE O-RING BOSS L-SERIES ISO 11926-3 BRANCH TEE	 1JG 美制JIC外螺纹74°外锥/英管外螺纹O形圈 JIC MALE 74° CONE /BSPP MALE O-RING
 1JG9-OG 90°弯美制JIC外螺纹74°外锥/ 英管外螺纹O形圈 90° ELBOW JIC MALE 74° CONE / BSPP MALE O-RING	 AJGJ-OG JIC外螺纹74°外锥/英管外螺纹O形圈分支三通 90° ELBOW JIC MALE 74° CONE / BSPP MALE O-RING BRANCH TEE	 AJJG-OG JIC外螺纹74°外锥/英管外螺纹O形圈主支三通 90° ELBOW JIC MALE 74° CONE / BSPP MALE O-RING RUN TEE	 1JB-WD JIC外螺纹74°外锥/英管外螺纹胶垫密封 JIC MALE 74° CONE / BSPP MALE CAPTIVE SEAL

















 1JM-WD JIC外螺纹74°外锥/公制外螺纹胶垫密封 JIC MALE 74° CONE /METRIC MALE CAPTIVE SEAL	 20J SAE外螺纹带O形圈轻系列ISO 11926-3/ JIC内螺纹74°内锥 SAE O-RING BOSS L-SERIES ISO 11926-3/ JIC FEMALE 74° SEAT	 NB200 美制JIC扩口管接头螺母 JIC FLARE TUBE END NUT	 NB300 JIC英制管衬套 JIC INCH SLEEVE
 NB500 JIC公制管衬套 JIC METRIC SLEEVE			

美制螺纹O形圈平面密封ORFS接头








 1F 美制ORFS外螺纹O形圈平面密封 ORFS MALE O-RING	 1F9 90°弯美制ORFS外螺纹O形圈平面密封 90° ELBOW ORFS MALE O-RING	 2F 美制ORFS外螺纹O形圈平面密封/ORFS内螺纹 ORFS MALE O-RING/ORFS FEMALE	 2F9 90°弯美制ORFS外螺纹O形圈平面密封/ORFS内螺纹 90° ELBOW ORFS MALE O-RING/ORFS FEMALE
 AF 美制ORFS外螺纹O形圈平面密封三通 ORFS MALE O-RING TEE	 CF 美制ORFS外螺纹O形圈平面密封/ 美制ORFS内螺纹平面分支三通 ORFS MALE O-RING/ORFS FEMALE RUN TEE	 3F 美制ORFS内螺纹 ORFS FEMALE	 4F 美制ORFS外螺纹O形圈平面密封堵头 ORFS FEMALE O-RING PLUG
 9F 美制ORFS内螺纹堵头 ORFS FEMALE PLUG	 6F 美制ORFS外螺纹O形圈平面密封过板接头 ORFS FEMALE O-RING BULKHEAD	 8F 美制ORFS锁母 ORFS LOCK NUT	 1FO 美制ORFS外螺纹O形圈平面密封/ 美制SAE外螺纹带O形圈重系列ISO11926-2 ORFS MALE O-RING/ SAE O-RING BOSS S-SERIES ISO 11926-2
 1FO9-OG 90°弯美制ORFS外螺纹O形圈平面密封/ 美制SAE外螺纹带O形圈重系列ISO11926-2 90° ELBOW ORFS MALE O-RING/ SAE O-RING BOSS S-SERIES ISO 11926-2	 AFFO-OG 美制ORFS外螺纹O形圈平面密封/ 美制SAE外螺纹带O形圈重系列ISO11926-2分支三通 ORFS MALE O-RING/SAE O-RING BOSS S-SERIES ISO 11926-2 RUN TEE	 AFOF-OG 美制ORFS外螺纹O形圈平面密封/ 美制SAE外螺纹带O形圈重系列ISO11926-2分支三通 ORFS MALE O-RING/SAE O-RING BOSS S-SERIES ISO 11926-2 BRANCH TEE	 2FO 美制SAE外螺纹带O形圈重系列ISO11926-2/ ORFS内螺纹 SAE O-RING BOSS S-SERIES ISO 11926-2/ ORFS FEMALE

 2OF9-OG 90°弯美制SAE外螺纹带O形圈重系列 ISO11926-2/ORFS内螺纹 90° ELBOW SAE O-RING BOSS S-SERIES ISO 11926-2/ORFS FEMALE	 NB200-F ORFS螺母 ORFS TUBE END NUT	 NB300-F ORFS英制管衬套 ORFS INCH SLEEVE	 NB500-F ORFS公制管衬套 ORFS METRIC SLEEVE
 2NU 布锥管外螺纹/美制NPSM内螺纹60°外锥 NPT MALE/NPSM FEMALE 60° CONE	 7NU-S 布锥管内螺纹/美制NPSM内螺纹60°外锥 NPT FEMALE/NPSM FEMALE 60° CONE	 2NU9 90°弯布锥管外螺纹/美制NPSM内螺纹60°外锥 90° ELBOW NPT MALE/NPSM FEMALE 60° CONE	 7NU9-S 90°弯布锥管内螺纹/美制NPSM内螺纹60°外锥 90° ELBOW NPT FEMALE/NPSM FEMALE 60° CONE








6162法兰接头

 1CFL,1DFL 公制螺栓卡套式/轻系列法兰ISO6162-1 METRIC MALE BITE TYPE/ L-SERIES FLANGE ISO 6162-1	 1CFL9,1DFL9 90°弯公制螺栓卡套式/轻系列法兰ISO6162-1 90° ELBOW METRIC MALE BITE TYPE/ L-SERIES FLANGE ISO 6162-1	 1DFS 公制螺栓卡套式/重系列法兰ISO 6162-2 METRIC MALE BITE TYPE / H-SERIES FLANGE ISO 6162-2	 1DFS9 90°弯公制螺栓卡套式/重系列法兰ISO6162-2 90° ELBOW METRIC MALE BITE TYPE/ H-SERIES FLANGE ISO 6162-2
 1JFL 美制JIC外螺纹74°外锥/轻系列法兰ISO6162-1 JIC MALE 74° CONE/ L-SERIES FLANGE ISO 6162-1	 1JFL9 90°弯美制JIC外螺纹74°外锥/ 轻系列法兰ISO6162-1 90° ELBOW JIC MALE 74° CONE/ L-SERIES FLANGE ISO 6162-1	 1JFS 美制JIC外螺纹74°外锥/重系列法兰ISO6162-2 JIC MALE 74° CONE/ S-SERIES FLANGE ISO 6162-2	 1JFS9 90°弯美制JIC外螺纹74°外锥/ 重系列法兰ISO6162-2 90° ELBOW JIC MALE 74° CONE/ S-SERIES FLANGE ISO 6162-2
 1FSW 重系列法兰ISO6162-2/焊接管 S-SERIES FLANGE ISO 6162-2/WELD TUBE	 1FLW 轻系列法兰ISO6162-2/焊接管 L-SERIES FLANGE ISO 6162-2/WELD TUBE	 FL ISO 6162-1-SAE J518 轻系列对开法兰夹 ISO 6162-1-SAE J518 L-SERIES SPLIT FLANGE CLAMPS	 FS ISO 6162-2-SAE J518 重系列对开法兰夹 ISO 6162-1-SAE J518 S-SERIES SPLIT FLANGE CLAMPS
 FL-W ISO 6162-1-SAE J518 轻系列整体法兰夹 ISO 6162-1-SAE J518 L-SERIES WHOLE FLANGE CLAMPS	 FS-W ISO 6162-2-SAE J518 重系列整体法兰夹 ISO 6162-1-SAE J518 S-SERIES WHOLE FLANGE CLAMPS	 4FL, 4FS ISO 6162轻/重系列法兰堵头 ISO 6162 L/S-SERIES FLANGE PLUG	 4FL-M, 4FS-M ISO 6162轻/重系列平面法兰堵头 ISO 6162 L/S-SERIES FLANGE PLUG

















SAE矿用快换接头

 1Y 快换外接头 SAE J1467 CLIP FASTENER MALE SAE J1467	 2Y 快换外接头 / 快换内接头SAE J1467 CLIP FASTENER MALE/ CLIP FASTENER FEMALE SAE J1467	 2Y 90°弯快换外接头 / 快换内接头SAE J1467 90° ELBOW CLIP FASTENER MALE/ CLIP FASTENER FEMALE SAE J1467	 4Y 快换外接头堵头 SAE J1467 CLIP FASTENER MALE PLUG SAE J1467
 7Y 快换内接头 SAE J1467 CLIP FASTENER FEMALE SAE J1467	 2NY 布锥管外螺纹 / 快换内接头SAE J1467 NPT MALE/CLIP FASTENER FEMALE SAE J1467	 2ZY 英管螺纹组合密封DIN 3852-2 A型 / 快换内接头SAE J1467 CLIP FASTENER FEMALE SAE J1467	

其他接头

 4MN-WD 公制外螺纹胶垫密封内六角堵头 METRIC MALE CAPTIVE SEAL HOLLOW HEX PLUG	 4H 公制外螺纹轻系列堵头 ISO 6149-3 METRIC MALE L-SERIES PLUG ISO 6149-3	 4ON 美制SAE外螺纹带O形圈 内六角堵头轻系列 ISO 11926-3 SAE O-RING BOSS HOLLOW HEX PLUG L-SERIES ISO 11926-3	 4O 美制SAE外螺纹带O形圈 堵头轻系列 ISO 11926-3 SAE O-RING BOSS PLUG L-SERIES ISO 11926-3
 1H-H 公制外螺纹重系列 ISO 6149-2 METRIC MALE S-SERIES ISO 6149-2	 50 美制SAE外螺纹带O形圈轻系列 ISO 11926-3/ 美制SAE内螺纹ISO 11926-1 SAE O-RING BOSS L-SERIES ISO 11926-3/ SAE FEMALE ISO 11926-1	 U-Y U形卡 STAPLE	

快速接头

 HGW-1005-F 母插座 (Socket)	 HGW-1005-M 公插座 (Plug)	 HGW-1034-F 母插座 (Socket)	 HGW-1034-M 公插座 (Plug)
 HGW-1010-F 母插座 (Socket)	 HGW-1010-M 公插座 (Plug)	 HGW-1011-F 母插座 (Socket)	 HGW-1011-M 公插座 (Plug)
 HGW-1015-F 母插座 (Socket)	 HGW-1015-M 公插座 (Plug)	 HGW-1003-F 母插座 (Socket)	 HGW-1003-M 公插座 (Plug)
 JB-ZQ4434-86-F 母插座 (Socket)	 JB-ZQ4434-86-M 公插座 (Plug)	 JB-ZQ4078-97-F 母插座 (Socket)	 JB-ZQ4078-97-M 公插座 (Plug)